


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

fusion protein AND CBM affinity OR chromatogr

- 2003

Ad
Sc
Sc

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar All articles - [Recent articles](#) Results 1 - 10 of about 378 for [fusion protein](#) AND CBM affinity

[Protection against anthrax toxin by recombinant antibody fragments correlates with antigen affinity](#) - [► auckland.ac.nz \(PDF\)](#)

JA Maynard, CBM Maassen, SH Leppla, K Brasky, JL ... - Nature Biotechnology, 2002 - nature.com

... mass (45 kDa) by C-terminal fusion of the ... Purified yields of 0.25–0.5 g protein per A ... antibodies were purified by metal affinity chromatography followed by ...

Cited by 130 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 10 versions](#)

[The binding specificity and affinity determinants of family 1 and family 3 cellulose binding modules](#) - [► pnas.org \(HTML\)](#)

J Lehtio, J Sugiyama, M Gustavsson, L Fransson, M ... - Proceedings of the National Academy of Sciences, 2003 - National Acad Sciences

... However, studies addressing the nature of CBM-cellulose interactions have so far failed to ... Fusion of the CBMs with a modified staphylococcal protein A (ZZ ...

Cited by 43 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 6 versions](#)

[hRRN3 is essential in the SL1-mediated recruitment of RNA Polymerase I to rRNA gene promoters](#)

G Miller, KI Panov, JK Friedrich, L Trinkle- ... - The EMBO Journal, 2001 - nature.com

... should be addressed Joost CBM Zomerdiijk, j ... direct interaction, GST affinity chromatography showed binding of ... specifically to the GST-hRRN3 fusion protein. ...

Cited by 79 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 4 versions](#)

[Production of antisera selective for m1 muscarinic receptors using fusion proteins: distribution of ...](#)

SJ Wall, RP Yasuda, F Hory, S Flagg, BM Martin, EI ... - Molecular Pharmacology, 1991 - ASPET

... the rat m1 muscarinic receptor was cloned, and the DNA was expressed in Escherichia coli as a fusion protein. ... Materials and Methods Fusion protein preparation. ...

Cited by 55 - [Related articles](#) - [Web Search](#) - [All 4 versions](#)

[\[HTML\] ► Cloning of murine RNA polymerase I-specific TAF factors: Conserved interactions between the subunits ...](#)

J Heix, JCBM Zomerdiijk, A Ravanpay, R Tjian, I ... - Proceedings of the National Academy of Sciences of the ..., 1997 - pubmedcentral.nih.gov

... Jutta Heix, * Joost CBM Zomerdiijk, † ‡ Ali Ravanpay ... residues, respectively, to facilitate affinity purification and ... S-transferase (GST) fusion protein in E ...

Cited by 48 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 7 versions](#)

[Mediation of Epstein-Barr virus EBNA2 transactivation by recombination signal-binding protein J ...](#)

T Henkel, PD Ling, SD Hayward, MG Peterson - Science, 1994 - sciencemag.org

... Protein-protein contact between the ur subunit and activator proteins appears to be a ... for 20 min at 22°C. IAC161 CAP was purified by chromatography on Bio ...

Cited by 275 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 4 versions](#)

A Family 2a Carbohydrate-Binding Module Suitable as an Affinity Tag for Proteins Produced in Pichia ...

AB Boraston, BW McLean, MM Guama, E Amandaron- ... - Protein Expression and Purification, 2001 - Elsevier
... candi- the properties of bacterial polypeptides, which are not date for CBM hybrid proteins to be ... Binding of a SCF-Cel5ACBM2a fusion expressed in FIG. ...

Cited by 13 - Related articles - Web Search - BL Direct - All 5 versions

A fusion protein of interleukin-11 and soluble interleukin-11 receptor acts as a superagonist on ...

S Pflanz, I Tacke, J Grötzinger, Y Jacques, H ... - FEBS Letters, 1999 - Elsevier
... was chosen to connect the IL-11R CBM to IL ... 11 to IL-11R circumvents the first low affinity binding step. Thus, the fusion protein IL-11/R-FP can be envisaged as ...

Cited by 24 - Related articles - Web Search - All 4 versions

... of Thermotoga maritima endoglucanase Cel74 with and without a carbohydrate binding module (CBM)

SR Chhabra, RM Kelly - FEBS Letters, 2002 - Elsevier
... is the first report of a hyperthermophilic CBM being fused ... The fusion protein Tm Cel74-Pf CBM2-Chi18A had higher ... for the loss of binding affinity at elevated ...

Cited by 24 - Related articles - Web Search - All 5 versions

The Structural Basis for the Ligand Specificity of Family 2 Carbohydrate-binding Modules -

► [jbc.org \(HTML\)](#)

PJ Simpson, H Xie, DN Bolam, HJ Gilbert, MP ... - Journal of Biological Chemistry, 2000 - ASBMB
... major functional difference between CBM Families 2a ... by immobilized metal affinity chromatography, as described ... expression of the fusion protein with isopropyl-1 ...

Cited by 58 - Related articles - Web Search - BL Direct - All 7 versions

Key authors: [M Diaz-Meco](#) - [J Maynard](#) - [S Wall](#) - [P Sanchez](#) - [T Henkel](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

fusion protein AND CBM affinity OR

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google